

# WoW7.2 Professional



1. Set HeatPress to 127°C/260°F and maximum Pressure. Use Temperature Test Strips to verify your HeatPress's actual Surface Temperature.

2. Print Mask as black&white negative mirrored on 100 gsm Colour Laser Paper. Print your Image on the iSheet as a mirror image.



3. Place T.Pad on HeatPress with smooth side up and pre-press for 10 seconds when you start cold. *Note: Good contained Temperature at the first Step is important for a good final result! Place mSheet coated side up on T.Pad and Mask on top. Cover with Release Paper and press for 10 seconds [A3 20 seconds]. Open press and strip Mask Paper off the mSheet immediately and in one quick move without stopping. Note: Do not remove Release Paper before you strip the Mask, it will keep the stack flat on the WoWPad as desired.*

4. Remove mSheet and T.Pad off the HeatPress. Place Release Paper on HeatPress and iSheet printed side up on top. Place and align mSheet on top to match the Image(s) with the masked white Film areas. Cover with T.Pad smooth side up and press for 30 to 40 seconds [A3 50 to 60 seconds] (depending on the thickness of your T.Pad). Open HeatPress, remove T.Pad and take the m&iSheet stack of the Press. Wait until the stack is really cold and strip mSheet backing paper including the outer border of the white film off the iSheet. *Tip: Holding the stack against glass or metal surface cools it down faster!*

5. Place Garment on the HeatPress and position iSheet with final transfer face down on top. Press for 5 seconds, for finer details and/or coarser weave up to 10 seconds. Open HeatPress and let Transfer cool down to Body Temperature. Strip off the backing paper of the iSheet.

*Note: If you encounter any grey colour Coating Residue or white spots outside the Image area you can remove it with regular office cello tape. If the problem persists with almost every transfer please contact your local MagicTouch Office for Cleaning Film.*

Finally, cover with Release Paper and press again for 15 seconds. Let cool down for a few seconds and remove Release Paper.

*Note: Stains on the Release Paper can be removed by pressing it onto Plain Paper or Cleaning Film for 15 seconds. Note: First wash after minimum 48 hours only!*